




1 Typical Section at Parking Entrance
1" = 1'-0"




3 Typical Section at Elevator
1" = 1'-0"




5 Slab Transition Detail @ Load Bearing Wall
1" = 1'-0"




2 Typical Rail Post and Metal Standoff Detail
3" = 1'-0"



6 Interior Load Bearing Wall Footing
1" = 1'-0"



8 Stem Wall Detail @ Garage
1" = 1'-0"



7 Foundation Detail at Garage Door
1" = 1'-0"

- NOTES:
1. The metal stand-off shall be pre-fabricated, hot dipped galvanized and powder coated. Verify finish color w/ Owner
 2. Prime and paint all wood surfaces. Verify color w/ Owner
 3. All wood shall be Select Cypress or P.T.



AA002909 PH/FAX 352-3782518
vraymos@gmail.com
www.architectvraymos.com
4825 SW 19th Street
Gainesville FL 32608


SUBCONTRACTORS AND CONTRACTORS SHALL BE IN CONFORMANCE WITH APPLICABLE CITY, COUNTY, STATE AND FEDERAL CODES. ALL DISCREPANCIES WITH CONSTRUCTION DOCUMENTS SHALL BE BROUGHT TO THE ARCHITECT'S ATTENTION PRIOR TO PROCEEDING. VERIFY ALL FIELD CONDITIONS AND DIMENSIONS.;

THIS DRAWING IS PROTECTED BY COMMON LAW COPY RIGHTS AND MAY NOT BE REPRODUCED IN ANY WAY WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT. CHANGES TO THE DRAWING MAY ONLY BE MADE BY THE ARCHITECT. ANY OTHER CHANGES SHALL BE CONSTRUED AS A DEROGATION OF THE ARCHITECT'S COPY RIGHTS OR OTHER RESERVED RIGHTS.

VICTOR E RAYMOS JR.

ARCHITECT'S SEAL

NOT VALID WITHOUT ORIGINAL SIGNATURE, DATE & RAISED SEAL OR DIGITAL SEAL, DIGITAL SIGNATURE & DATE.



Gosslin Duplex

North Building 15136-015-003

Job Number: 574

Document Date: 07.17.2023

Rev Date Remark

Drafting by:

BOB HARRIS DESIGN
bobharrisdesign.com
bh@bobharrisdesign.com
352-317-6644
2351 SW 5th Avenue

Details

A15

OF
20

Permit Set

Permit Set